


AC147 *Desmodesmus armatus*

Taxonomy		Image	Origin		
Kingdom	Plantae		Climatic Zone	Temperate	
Division	Chlorophyta		Habitat	Freshwater	
Class	Chlorophyceae		Continent	-	
Order	Sphaeropleales		Country	France	
Family	<i>Scenedesmaceae</i>		Region	Basse-Normandie	
Genus	<i>Desmodesmus</i>		Geolocation		
Species	<i>armatus</i>		Latitude	49.185	
Authority(ies)	(Chodat) An, Friedl & Hegewald		Longitude	-0.360000	
Identity		Morphology		Culture	
Holotype	No	Length (µm)	-	Isolated by	J. Fresnel
Equivalent code	-	Width (µm)	-	Isolation date	1995
Deposited by	-	Diameter	-	Isolation site	Caen
Deposit date	-	Wall	-	Culture medium	L-C
Identified by	A. Couté	Comments	-	Growth temperature	16 °C
				Growth light	90 µE
				Toxicity	Unproven
External Links					
Genbank accession number	-				
References	<p>- An, S.S., Friedl, T. & Hegewald, E. (1999). Phylogenetic relationships of Scenedesmus and Scenedesmus-like coccoid green algae as inferred from IT-2 rDNA sequence comparisons. <i>Plant Biology</i> 1: 418-428, 23 figs, 1 table.</p> <p>- E. Plouguerné, C. Hellio, C. Cesconetto, M. Thabard, K. Mason, B. Véron, R. C. Pereira, B. A. P. da Gama (2010) Antifouling activity as a function of population variation in <i>Sargassum vulgare</i> from the littoral of Rio de Janeiro (Brazil). <i>Journal of Applied Phycology</i> 22 (6) : 717-724</p>				