


AC37 *Exanthemachrysis* sp.

Taxonomy		Image	Origin		
Kingdom	Chromista		Climatic Zone	Mediterranean	
Division	Haptophyta		Habitat	Coastal	
Class	Pavlovophyceae		Ocean	North Atlantic	
Order	Pavloales		Sea	Mediterranean Sea	
Family	<i>Pavlovaceae</i>		Country	Syrie	
Genus	<i>Exanthemachrysis</i>		Region	-	
Species	sp.		Geolocation		
Authority(ies)	-		Latitude	-	
		Longitude	-		
Identity		Morphology	Culture		
Holotype	No	Length (μm)	-	Isolated by	J. Fresnel
Equivalent code	-	Width (μm)	-	Isolation date	1976
Deposited by	-	Diameter	-	Isolation site	Lattaquié
Deposit date	-	Wall	-	Culture medium	ES
Identified by	-	Comments	-	Growth temperature	19 °C
				Growth light	100 μE
				Toxicity	Unproven
External Links					
Genbank accession number	18S : JF714224 - 28S : JF718766				
References	<p>- Bittner L, Gobet A, Audic S, Romac S, Egge E.S., Santini S, Ogata H, Probert I, Edvardsen B and de Vargas C (2012) Diversity patterns of uncultured Haptophytes unravelled by pyrosequencing in Naples Bay. <i>Molecular Ecology</i> DOI: 10.1111/mec.12108</p> <p>- Bendif E M, I. Probert, A. Hervé, C. Billard, D. Goux, C. Lelong, J.-P. Cadoret and B. Véron (2011) Integrative taxonomy of the Pavlovophyceae (Haptophyta): A reassessment. <i>Protist</i> 162(5) : 738–761</p>				